

## **Technical Data Sheet**

# **Galtec Descaler & Rust Remover**

### **GENERAL DESCRIPTION:**

**DESCALER & RUST REMOVER** has been specifically formulated as an acidic, high-foaming, heavy-duty cleaner, for use within the Poultry, Meath and Fishing industries. It produces a stable foam with good adhesion properties to ensure long contact times to give effective scale control. **DESCALER & RUST REMOVER** has excellent detergency properties and is free rinsing. **DESCALER & RUST REMOVER** is suitable for the purpose of dissolving rust prior to painting. It is also designed for the initial removal of heavy deposits of oil, grease and similar soils from concrete floors as well as cement based products from concrete mixer trucks and similar equipment.

It is biodegradable and can be used in a marine environment and is not classed as Dangerous for the Environment. It also meets the requirements of the Annex III of International Convention for the Prevention of Pollution from Ships (Marpol 73/78) published by the International Maritime Organisation (IMO).

## **DIRECTIONS FOR USE:**

**DESCALER & RUST REMOVER** should be used in conjunction with either portable or centralised foam cleaning equipment.

Type of Cleaning	Dilution rate
Food processing facilities	1:10 and 1:20 parts water (depending on degree of soiling)
Concrete Flooring	1:10 parts water (depending on degree of soiling)

#### PRODUCT INFORMATION:

Appearance : Yellow liquid

Density at 20°C (Typical) : 1.22 kg/l

Foam : High foaming

pH (1% solution, typical) : 1.0

#### HANDLING AND SAFETY:

Please refer to product Material Safety Data Sheet.

#### SIZES:

**DESCALER & RUST REMOVER** is supplied in 4 x 5 litre and 25 litre drums.

#### **USE OF THIS TECHNICAL DATA SHEET**

This Technical Data Sheet complements and should be used in conjunction with the appropriate Safety Data Sheet. The information and recommendations given above are, to the best of the company's knowledge and belief, accurate and reliable as of the date issued, but are offered without guarantee or warranty and do not form part of any specification, except where otherwise stated. They are given solely for guidance in appropriate handling and use of the material. They relate to the specific material designated and may not be valid for such material used in combination with any other material or in any process. Conditions of use of the material are under the control of the user, therefore it is the user's responsibility to satisfy himself as to the suitability of the material, and the suitability and completeness of this information, for his own particular use.