

Page 1/8

# Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 11.10.2021 Version number 11 (replaces version 10) Revision: 14.05.2020

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

### 1.1 Product identifier

# **Trade name INDULINE GW-310**

Article number: 3384-85, 3397-98, 15045-47

### 1.2 Relevant identified uses of the substance or mixture and uses advised against

No further relevant information available.

Sector of Use

SU3 Industrial uses: Uses of substances as such or in preparations at industrial sites

SU21 Consumer uses: Private households / general public / consumers

SU22 Professional uses: Public domain (administration, education, entertainment, services,

craftsmen)

Product category PC8 Biocidal products

**Process category** 

PROC7 Industrial spraying

PROC8a Transfer of substance or mixture (charging and discharging) at non-dedicated facilities

PROC8b Transfer of substance or mixture (charging and discharging) at dedicated facilities

PROC10 Roller application or brushing

PROC13 Treatment of articles by dipping and pouring

**Environmental release category** 

ERC8d Widespread use of non-reactive processing aid (no inclusion into or onto article, outdoor)

ERC8f Widespread use leading to inclusion into/onto article (outdoor)

ERC10a Widespread use of articles with low release (outdoor)

Application of the substance / the mixture Wood treatment

Uses advised against No further relevant information available.

### 1.3 Details of the supplier of the safety data sheet

Manufacturer/Supplier:

Remmers GmbH Remmers (UK) Limited
Bernhard-Remmers-Str. 13 Unit 4 . Lloyds Court

Bernhard-Remmers-Str. 13 Unit 4 , Lloyds Court D-49624 Löningen / Germany Manor Royal, Crawley – West Sussex RH10 9QU

Information department:

Product Safety department: Phone: +44 (0) 1293 594 010

Email: sales@remmers.co.ukk

# 1.4 Emergency telephone number:

National Poisons Information Service (NPIS): In England and Wales: NHS 111 - dial 111

In Scotland: NHS 24 - dial 111

24h-Transport Emergency Contact Phone Number:

within USA and Canada: 1-800-424-9300 outside USA and Canada: 001-703-527-3887

# **SECTION 2: Hazards identification**

# 2.1 Classification of the substance or mixture

# Classification according to Regulation (EC) No 1272/2008

Aquatic Chronic 3 H412 Harmful to aquatic life with long lasting effects.

# 2.2 Label elements

# Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the CLP regulation.

Hazard pictograms Void

# Safety data sheet according to 1907/2006/EC, Article 31

Printing date 11.10.2021 Version number 11 (replaces version 10) Revision: 14.05.2020

# **Trade name INDULINE GW-310**

(Contd. of page 1)

### Signal word Void

## **Hazard statements**

H412 Harmful to aquatic life with long lasting effects.

# **Precautionary statements**

P273 Avoid release to the environment.

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

### Additional information:

EUH208 Contains 3-iodo-2-propynyl butylcarbamate, 1,2-benzisothiazol-3(2H)-one, reaction mass of 5-chloro-2- methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3- one (3:1). May produce an allergic reaction.

EUH211 Warning! Hazardous respirable droplets may be formed when sprayed. Do not breathe spray or mist.

### 2.3 Other hazards

### Results of PBT and vPvB assessment

**PBT:** Not applicable. **vPvB:** Not applicable.

# **SECTION 3: Composition/information on ingredients**

#### 3.2 Mixtures

**Description:** Mixture of the substances listed below with harmless additions.

Dangerous components [% w/w]:		
CAS: 57-55-6 EINECS: 200-338-0 Reg.nr.: 01-2119456809-23- XXXX	propylene glycol substance with a Community workplace exposure limit	≥1-<2.5%
CAS: 111-76-2 EINECS: 203-905-0 Index number: 603-014-00-0 Reg.nr.: 01-2119475108-36- XXXX	2-butoxyethanol Acute Tox. 4, H302; Acute Tox. 4, H312; Acute Tox. 4, H332; Skin Irrit. 2, H315; Eye Irrit. 2, H319	≥1-<2.5%
CAS: 13463-67-7 EINECS: 236-675-5 Index number: 022-006-00-2 Reg.nr.: 01-2119489379-17- XXXX	titanium dioxide Carc. 2, H351	≥1-<2.5%
CAS: 55406-53-6 EINECS: 259-627-5 Index number: 616-212-00-7	3-iodo-2-propynyl butylcarbamate Acute Tox. 3, H331; STOT RE 1, H372; Eye Dam. 1, H318; Aquatic Acute 1, H400 (M=10); Aquatic Chronic 1, H410 (M=1); Acute Tox. 4, H302; Skin Sens. 1, H317	≥0.25-<1%

Additional information For the wording of the listed hazard phrases refer to section 16.

# **SECTION 4: First aid measures**

### 4.1 Description of first aid measures

**General information** When symptoms occur or in case of doubt, seek medical advice **After inhalation** 

Seek medical treatment in case of complaints.

Supply fresh air and call for doctor for safety reasons.

## After skin contact

If skin irritation continues, consult a doctor.

Wash immediately with water and soap and rinse thoroughly.

After eye contact Rinse opened eye for several minutes under running water.

After swallowing Seek immediate medical advice.

# 4.2 Most important symptoms and effects, both acute and delayed

No further relevant information available.

Danger Long-term or repeated exposure may cause inflammation of the skin (dermatitis).

# 4.3 Indication of any immediate medical attention and special treatment needed

symptomatic treatment

(Contd. on page 3)

# Safety data sheet

according to 1907/2006/EC, Article 31

Version number 11 (replaces version 10) Printing date 11.10.2021 Revision: 14.05.2020

# Trade name INDULINE GW-310

(Contd. of page 2)

# **SECTION 5: Firefighting measures**

## 5.1 Extinguishing media

### Suitable extinguishing agents

CO2, extinguishing powder or water jet. Fight larger fires with water jet.

Use fire fighting measures that suit the environment.

# 5.2 Special hazards arising from the substance or mixture

May be released in case of fire

Carbon monoxide (CO)

Carbon dioxide

formaldehyde

(Traces)

## 5.3 Advice for firefighters

### **Protective equipment:**

Wear self-contained breathing apparatus.

Wear full protective suit.

### Additional information

Cool endangered containers with water spray jet.

Collect contaminated fire fighting water separately. It must not enter drains.

Dispose of fire debris and contaminated fire fighting water in accordance with official regulations.

# SECTION 6: Accidental release measures

# 6.1 Personal precautions, protective equipment and emergency procedures

Ensure adequate ventilation

# 6.2 Environmental precautions:

Do not allow to enter the ground/soil.

Do not allow product to reach sewage system or water bodies.

Inform responsible authorities in case product reaches bodies of water or sewage system.

Dilute with plenty of water.

### 6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Dispose of contaminated material as waste according to item 13.

### 6.4 Reference to other sections

See Section 7 for information on safe handling

See Section 8 for information on personal protection equipment.

See Section 13 for information on disposal.

# **SECTION 7: Handling and storage**

### 7.1 Precautions for safe handling Use only in well ventilated areas.

Information about protection against explosions and fires: The product is not flammable

# 7.2 Conditions for safe storage, including any incompatibilities

Storage

Requirements to be met by storerooms and containers: No special requirements.

Information on storage in a common storage facility: none

Further information about storage conditions:

Protect from frost.

Store container in a well ventilated position.

7.3 Specific end use(s) No further relevant information available.

# **SECTION 8: Exposure controls/personal protection**

# 8.1 Control parameters

Components with limit values that require monitoring at the workplace:		
1	57-55-6 propylene glycol	
WEL	Long-term value: 474* 10** mg/m³, 150* ppm *total vapour and particulates **particulates	
CAS: 111-76-2 2-butoxyethanol		
WEL	Short-term value: 246 mg/m³, 50 ppm Long-term value: 123 mg/m³, 25 ppm Sk, BMGV	

# Safety data sheet according to 1907/2006/EC, Article 31

Printing date 11.10.2021 Version number 11 (replaces version 10) Revision: 14.05.2020

# **Trade name INDULINE GW-310**

(Contd. of page 3)

CAS: 13463-67-7 titanium dioxide

WEL Long-term value: 10\* 4\*\* mg/m³
\*total inhalable \*\*respirable

Ingredients with biological limit values:

CAS: 111-76-2 2-butoxyethanol

BMGV 240 mmol/mol creatinine

Medium: urine

Sampling time: post shift Parameter: butoxyacetic acid

Additional information: The lists that were valid during compilation were used as a basis.

### 8.2 Exposure controls

Appropriate engineering controls No further data; see item 7.

Individual protection measures, such as personal protective equipment

# General protective and hygienic measures

Do not eat, drink or smoke while working.

Use skin protection cream for preventive skin protection.

Wash hands before pauses and after work.

The following indication regarding the personal protective equipment are to be considered as suggestions. The selection of the necessary personal protective equipment is to be evaluated by the employer depending on the types of operations and the local circumstances. If a risk assessment onsite shows that there is no risk for employees, the personal protective euiqment is not required or the amount of the PPE can be adpated accordingly.

### Respiratory equipment:

Respiratory protection if there is a risk of splashes/mist.

Filter A/P2.

# **Hand protection**

Impervious gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

# Material of gloves

Chloroprene rubber, CR

Nitrile rubber, NBR

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

# Penetration time of glove material

The determined penetration times according to EN 16523-1:2015 are not performed under practical conditions. Therefore a maximum wearing time, which corresponds to 50% of the penetration time, is recommended.

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.

Eye/face protection if there is a risk of splashes

Body protection: Protective work clothing.

# SECTION 9: Physical and chemical properties

# 9.1 Information on basic physical and chemical properties

**General Information** 

Colour: According to product specification

Odour: Weak, characteristic
Odour threshold: Not determined.
Melting point/freezing point: Not determined

Boiling point or initial boiling point and boiling

range 100 °C

Flammability Not applicable.

Lower and upper explosion limit

**Lower:** Not determined.

# Safety data sheet

according to 1907/2006/EC, Article 31

Version number 11 (replaces version 10) Printing date 11.10.2021 Revision: 14.05.2020

# Trade name INDULINE GW-310

(Contd. of page 4)

Upper: Not determined. Flash point: >100 °C

Not determined. **Decomposition temperature:** 

pH at 20 °C

Viscosity:

Kinematic viscosity at 20 °C 12 s (DIN 53211/4) dynamic: Not determined.

Solubility

Water: Fully miscible Partition coefficient n-octanol/water (log value) Not determined. Vapour pressure: Not determined.

Density and/or relative density

Density at 20 °C: 1.02 g/cm<sup>3</sup> Relative density Not determined. Vapour density Not determined.

9.2 Other information

Appearance:

Form: Fluid

Important information on protection of health

and environment, and on safety.

Ignition temperature: not applicable

**Explosive properties:** Product is not explosive.

Solvent separation test < 3 % **VOC EU** < 130 g/I

Change in condition

**Evaporation rate** Not determined.

Information with regard to physical hazard

classes **Explosives** Void Flammable gases Void Void **Aerosols Oxidising gases** Void Gases under pressure Void Flammable liquids Void Flammable solids Void Self-reactive substances and mixtures Void **Pyrophoric liquids** Void **Pyrophoric solids** Void Self-heating substances and mixtures Void Substances and mixtures, which emit flammable gases in contact with water Void **Oxidising liquids** Void Oxidising solids Void Organic peroxides Void

# **SECTION 10: Stability and reactivity**

10.1 Reactivity No further relevant information available.

10.2 Chemical stability

Corrosive to metals

**Desensitised explosives** 

Thermal decomposition / conditions to be avoided:

No decomposition if handled and stored according to specifications.

10.3 Possibility of hazardous reactions No dangerous reactions known

Void

Void

10.4 Conditions to avoid No further relevant information available.

10.5 Incompatible materials: No further relevant information available.

10.6 Hazardous decomposition products:

None if used properly.

(Contd. on page 6)

# Safety data sheet

according to 1907/2006/EC, Article 31

Version number 11 (replaces version 10) Printing date 11.10.2021 Revision: 14.05.2020

# Trade name INDULINE GW-310

(Contd. of page 5)

None if stored properly.

# **SECTION 11: Toxicological information**

# 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity: Based on available data, the classification criteria are not met.

LD/LC50 values that are relevant for classification: No further relevant information available.

Skin corrosion/irritation: Based on available data, the classification criteria are not met.

Serious eye damage/irritation: Based on available data, the classification criteria are not met.

Sensitisation: Based on available data, the classification criteria are not met.

Germ cell mutagenicity: Based on available data, the classification criteria are not met.

Carcinogenicity: Based on available data, the classification criteria are not met.

Reproductive toxicity: Based on available data, the classification criteria are not met. STOT-single exposure: Based on available data, the classification criteria are not met.

STOT-repeated exposure: Based on available data, the classification criteria are not met.

Aspiration hazard: Based on available data, the classification criteria are not met.

11.2 Information on other hazards

# **Endocrine disrupting properties**

None of the ingredients is listed.

# **SECTION 12: Ecological information**

# 12.1 Toxicity

Aquatic toxicity: No further relevant information available.

12.2 Persistence and degradability No further relevant information available.

**12.3 Bioaccumulative potential** No further relevant information available.

12.4 Mobility in soil No further relevant information available.

12.5 Results of PBT and vPvB assessment

PBT: Not applicable. vPvB: Not applicable.

# 12.6 Endocrine disrupting properties

For information on endocrine disrupting properties see section 11.

# 12.7 Other adverse effects Remark: Harmful to fish

Additional ecological information:

### **General notes:**

Do not allow product to reach ground water, bodies of water or sewage system, even in small

Do not allow product to reach ground water, bodies of water or sewage system.

Hazardous to drinking water even if extremely small quantities leak into soil.

Harmful to aquatic organisms

# **SECTION 13: Disposal considerations**

# Recommendation

Must be specially treated in compliance with official regulations.

The given refuse codes are recommendations based upon the intended use of the product. Because of special use and disposal conditions at the user's, other codes may apply under other conditions.

# European waste catalogue

03 02 05\* other wood preservatives containing hazardous substances

### Uncleaned packaging:

Recommendation: Disposal must be made according to official regulations. Recommended cleaning agent: Water, if necessary with cleaning agent.

# **SECTION 14: Transport information**

# 14.1 UN number or ID number

ADR, ADN, IMDG, IATA Void

(Contd. on page 7)

# Safety data sheet according to 1907/2006/EC, Article 31

Version number 11 (replaces version 10) Printing date 11.10.2021 Revision: 14.05.2020

# **Trade name INDULINE GW-310**

(Contd. of page 6)

	(Conta. or page 6)
14.2 UN proper shipping name ADR, ADN, IMDG, IATA	Void
14.3 Transport hazard class(es)	
ADR, ADN, IMDG, IATA Class	Void
14.4 Packing group ADR, IMDG, IATA	Void
14.5 Environmental hazards: Marine pollutant:	No
14.6 Special precautions for user	Not applicable.
14.7 Maritime transport in bulk according IMO instruments	t <b>o</b> Not applicable.
Transport/Additional information:	Not a hazardous good according to the above regulations.
UN "Model Regulation":	Void

# **SECTION 15: Regulatory information**

### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Directive 2012/18/EU

Named dangerous substances - ANNEX I None of the ingredients is listed.

REGULATION (EC) No 1907/2006 ANNEX XVII Conditions of restriction: 3

**National regulations** 

Other regulations, limitations and prohibition ordinances

Observe the usual protective measures when working and for storage.

15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

# SECTION 16: Other information

Delivery specifications are found in the respective Technical Information Sheets.

This data is based on our present state of knowledge. However, it does not constitute a guarantee for any specific product features and does not establish a legally valid contractual relationship.

### Relevant phrases

H302 Harmful if swallowed.

H312 Harmful in contact with skin.

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

H318 Causes serious eye damage.

H319 Causes serious eye irritation.

H331 Toxic if inhaled.

H332 Harmful if inhaled.

H351 Suspected of causing cancer.

H372 Causes damage to organs through prolonged or repeated exposure.

H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.

Classification according to Regulation (EC) No 1272/2008 Calculation method

Department issuing data specification sheet: Product Safety department / EHS

Version number of previous version: 10

### Abbreviations and acronyms:

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

Page 8/8

# Safety data sheet according to 1907/2006/EC, Article 31

Printing date 11.10.2021 Version number 11 (replaces version 10) Revision: 14.05.2020

# **Trade name INDULINE GW-310**

(Contd. of page 7)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative

Acute Tox. 4: Acute toxicity – Category 4
Acute Tox. 3: Acute toxicity – Category 3
Skin Irrit. 2: Skin corrosion/irritation – Category 2
Eye Dam. 1: Serious eye damage/eye irritation – Category 1
Eye Irrit. 2: Serious eye damage/eye irritation – Category 2
Skin Sono 1: Skin constitution.

Skin Sens. 1: Skin sensitisation - Category 1

Carc. 2: Carcinogenicity - Category 2

STOT RE 1: Specific target organ toxicity (repeated exposure) – Category 1
Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard – Category 1 Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aquatic hazard - Category 1 Aquatic Chronic 3: Hazardous to the aquatic environment - long-term aquatic hazard - Category 3