The RITE SOLUTION

SAFETY DATA SHEET

"DEEP KLEEN PLUS"

Page: 1

Compilation date: 3rd August 2015

Section 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product name: "DEEP KLEEN PLUS"

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.3. Details of the supplier of the safety data sheet

Company name: Conservation Technology Ltd, Davitt Road, Dublin 12, D12 YXK8

Tel: 01 455 9511; Fax: 01 455 9511

Email: info@conservationtech.ie; Web: www.conservationtech.ie

1.4. Emergency telephone number

Tel: 01 455 9511 - Mon-Fri: 0830 - 1700

Section 2: Hazards identification

2.1. Classification of the substa	ance or mixture
Classification under CLP:	Skin Corr. 1A: H314
Most important adverse effects:	Causes severe skin burns and eye damage.
2.2. Label elements	
Label elements:	
Hazard statements:	H314: Causes severe skin burns and eye damage.
Signal words:	Danger
Hazard pictograms:	GHS05: Corrosion
Precautionary statements:	P260: Do not breathe mist/spray.
	P280: Wear protective gloves/eye protection.
	P301+330+331: IF SWALLOWED: rinse mouth. Do NOT induce vomiting.
	P303+361+353: IF ON SKIN (or hair): Take off immediately all contaminated clothing.
	Rinse skin with water/shower.
	P304+340: IF INHALED: Remove person to fresh air and keep comfortable for breathing.
	P305+351+338: IF IN EYES: Rinse cautiously with water for several minutes. Remove
	contact lenses, if present and easy to do. Continue rinsing.

PBT: This product is not identified as a PBT/vPvB substance.

[cont...]

Section 3: Composition/information on ingredients

3.2. Mixtures

Hazardous ingredients:

SODIUM HYDROXIDE

EINECS	CAS	PBT / WEL	CLP Classification	Percent	
215-185-5	1310-73-2	-	Skin Corr. 1A: H314	5- 10%	

TETRASODIUM ETHYLENE DIAMINE TETRAACETATE

200-573-9	64-02-8	-	Acute Tox. 4: H302; Eye Dam. 1: H318	1- 5%
-----------	---------	---	--------------------------------------	----------

C9-11 ALCOHOL ETHOXYLATE WITH 6.5MEO

-	68439-45-2	-	Acute Tox. 4: H302; Eye Dam. 1: H318	1-
				5%

ß-ALANINE, N-(2-CARBOXYETHYL)-, N-COCO ALKYL DERIVS., DISODIUM SALTS

	290-476-8	90170-43-7	-	Eye Irrit. 2: H319	1- 5%	l
ecti	ion 4: First aid	measures				
	4 D · · · ·					

4.1. Description of first aid measures

S

Skin contact:

Remove all contaminated clothes and footwear immediately unless stuck to skin. Drench the affected skin with running water for 10 minutes or longer if substance is still on skin. Transfer to hospital if there are burns or symptoms of poisoning.

- **Eye contact:** Bathe the eye with running water for 15 minutes. Transfer to hospital for specialist examination.
 - Ingestion: Wash out mouth with water. Do not induce vomiting. Give 1 cup of water to drink every
 - 10 minutes. If unconscious, check for breathing and apply artificial respiration if
 - necessary. If unconscious and breathing is OK, place in the recovery position.
 - Transfer to hospital as soon as possible.
 - Inhalation: Remove casualty from exposure ensuring one's own safety whilst doing so. If unconscious and breathing is OK, place in the recovery position. If conscious, ensure the casualty sits or lies down. If breathing becomes bubbly, have the casualty sit and provide oxygen if available. Transfer to hospital as soon as possible.

4.2. Most important symptoms and effects, both acute and delayed

Skin contact:	Blistering may occur. Progressive ulceration will occur if treatment is not immediate.
Eye contact:	Corneal burns may occur. May cause permanent damage.
Ingestion:	Corrosive burns may appear around the lips. Blood may be vomited. There may be bleeding from the mouth or nose.
Inhalation:	There may be shortness of breath with a burning sensation in the throat. Exposure

SAFETY DATA SHEET

"DEEP KLEEN PLUS"

may cause coughing or wheezing.

Delayed / immediate effects: Immediate effects can be expected after short-term exposure.

4.3. Indication of any immediate medical attention and special treatment needed

Immediate / special treatment: Eye bathing equipment should be available on the premises.

Section 5: Fire-fighting measures

5.1. Extinguishing media

Extinguishing media: Suitable extinguishing media for the surrounding fire should be used. Use water spray

to cool containers.

5.2. Special hazards arising from the substance or mixture

Exposure hazards: Corrosive. In combustion emits toxic fumes.

5.3. Advice for fire-fighters

Advice for fire-fighters: Wear self-contained breathing apparatus. Wear protective clothing to prevent contact

with skin and eyes.

Section 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions: Notify the police and fire brigade immediately. If outside keep bystanders upwind and away from danger point. Mark out the contaminated area with signs and prevent access to unauthorised personnel. Do not attempt to take action without suitable protective clothing - see section 8 of SDS. Turn leaking containers leak-side up to prevent the escape of liquid.

6.2. Environmental precautions

Environmental precautions: Do not discharge into drains or rivers. Contain the spillage using bunding.

6.3. Methods and material for containment and cleaning up

Clean-up procedures: Clean-up should be dealt with only by qualified personnel familiar with the specific

substance. Absorb into dry earth or sand. Transfer to a closable, labelled salvage

container for disposal by an appropriate method.

6.4. Reference to other sections

Reference to other sections: Refer to section 8 of SDS.

Section 7: Handling and storage

7.1. Precautions for safe handling

Handling requirements: Avoid direct contact with the substance. Ensure there is sufficient ventilation of the

area. Do not handle in a confined space. Avoid the formation or spread of mists in the

Page: 3

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions: Store in a cool, well ventilated area. Keep container tightly closed.

7.3. Specific end use(s)

Specific end use(s): No data available.

Section 8: Exposure controls/personal protection

8.1. Control parameters

Hazardous ingredients:

SODIUM HYDROXIDE

Workplace exposure limits:

•	place expes			itespilable dase	
	State	8 hour TWA	15 min. STEL	8 hour TWA	15 min. STEL
	UK	-	2 mg/m3	-	-
D	NEL/PNEC Va	alues	1		· · ·

Respirable dust

DNEL / PNEC

No data available.

8.2. Exposure controls

 Engineering measures:
 Ensure there is sufficient ventilation of the area.

 Respiratory protection:
 Self-contained breathing apparatus must be available in case of emergency.

 Hand protection:
 Impermeable gloves.

 Eye protection:
 Tightly fitting safety goggles. Ensure eye bath is to hand.

Skin protection: Impermeable protective clothing.

Section 9: Physical and chemical properties

State: Liquid

Colour: Red

Odour: Detergent Odour

Solubility in water: Miscible in all proportions

Relative density:	1.20
-	

9.2. Other information

Other information: No data available.

Section 10: Stability and reactivity

10.1. Reactivity

Reactivity: Stable under recommended transport or storage conditions.

10.2. Chemical stability

Chemical stability: Stable under normal conditions.

pH: 13.6

Page: 5

10.3. Possibility of hazardous reactions

Hazardous reactions: Hazardous reactions will not occur under normal transport or storage conditions.

Decomposition may occur on exposure to conditions or materials listed below.

10.4. Conditions to avoid

Conditions to avoid: Heat.

10.5. Incompatible materials

Materials to avoid: Strong oxidising agents. Strong acids.

10.6. Hazardous decomposition products

Haz. decomp. products: In combustion emits toxic fumes.

Section 11: Toxicological information

11.1. Information on toxicological effects

Hazardous ingredients:

SODIUM HYDROXIDE

IPR	MUS	LD50	40	mg/kg
ORL	RBT	LDLO	500	mg/kg

C9-11 ALCOHOL ETHOXYLATE WITH 6.5MEO

DERMAL	RAT		LD50		>2000	mg/kg
ORAL	RAT		LD50		>300<2000	mg/kg
Relevant hazards for substance:						
Hazard		Route		Basis		
Skin corrosion/irritation		DRM Hazardous		Hazardous: calculated		
Serious eye damage/irritation		OPT		Hazardous	: calculated	

Symptoms / routes of exposure

Skin contact: Blistering may occur. Progressive ulceration will occur if treatment is not immediate.Eye contact: Corneal burns may occur. May cause permanent damage.

Ingestion: Corrosive burns may appear around the lips. Blood may be vomited. There may be bleeding from the mouth or nose.

Inhalation: There may be shortness of breath with a burning sensation in the throat. Exposure may cause coughing or wheezing.

Delayed / immediate effects: Immediate effects can be expected after short-term exposure.

Section 12: Ecological information

12.1. Toxicity

Hazardous ingredients:

Page: 6

C9-11 ALCOHOL ETHOXYLATE WITH 6.5MEO

	FISH	96H LC50	1-10	mg/l	
12	.2. Persistence and degradability				

Persistence and degradability: Biodegradable. The surfactant(s) contained in this preparation complies(comply) with the biodegradability criteria as laid down in regulation (EC) No.648/2004 on detergents. Data to support this assertion are held at the disposal of the competent authorities of the Member States and will be made available to them, at their direct request or at the request of a detergent manufacturer.

12.3. Bioaccumulative potential

Bioaccumulative potential: No bioaccumulation potential.

12.4. Mobility in soil

Mobility: Readily absorbed into soil.

12.5. Results of PBT and vPvB assessment

PBT identification: This product is not identified as a PBT/vPvB substance.

12.6. Other adverse effects

Other adverse effects: Negligible ecotoxicity.

Section 13: Disposal considerations

13.1. Waste treatment methods

Disposal operations: Transfer to a suitable container and arrange for collection by specialised disposal

company.

NB: The user's attention is drawn to the possible existence of regional or national regulations

regarding disposal.

Section 14: Transport information

14.1. UN number

UN number: UN1824

14.2. UN proper shipping name

Shipping name: SODIUM HYDROXIDE SOLUTION

14.3. Transport hazard class(es)

Transport class: 8

14.4. Packing group Packing group: II 14.5. Environmental hazards Environmentally hazardous: No Marine pollutant: No 14.6. Special precautions for user Special precautions: No special precautions. Tunnel code: E Transport category: 2 Section 15: Regulatory information 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture Specific regulations: European Regulation (EC) No. 1272/2008 on Classification, Labelling and Packaging of Substances and Mixtures (known as 'CLP'). The Carriage of Dangerous Goods and Use of Transportable Pressure Equipment Regulations 2009 aligned with ADR. Workplace Exposure Limits EH40.2005 (2nd edition published 2011). REACH: Regulation 1907/2006/EC effective June 1st, 2007. The raw materials used in this preparation

have been pre-registered in accord with the requirements of REACH. Dangerous Preparations Directive (1999/45/EC).

15.2. Chemical Safety Assessment

Section 16: Other information

Other information	
Other information:	This safety data sheet is prepared in accordance with Commission Regulation (EU) No
	453/2010.
	* indicates text in the SDS which has changed since the last revision.
Phrases used in s.2 and s.3:	H302: Harmful if swallowed.
	H314: Causes severe skin burns and eye damage.
	H318: Causes serious eye damage.
	H319: Causes serious eye irritation.
Legal disclaimer:	The above information is believed to be correct but does not purport to be all
	inclusive and shall be used only as a guide. This company shall not be held liable for any
	damage resulting from handling or from contact with the above product.