





## Clean WR

### - Combi WR -

Acidic cleaner

Availability		
Quantity per pallet	84	24
Packaging unit	5 kg	30 kg
Type of container	Plastic canister	Plastic canister
Container code	05	30
Art. no.		
0675		

### **Application rate**



Approx. 0.3 - 0.5 l/m², depending on the degree of contamination

Apply to a large enough trial area to determine the precise amount required.

### Range of use



- Mineral substrates
- Tiles and slabs

### **Property profile**

- Free of tensides
- Ready-to-use
- pH-value approx. 1.0

# Characteristic data of the product

Density (20 °C)	Approx. 1.04 g/ml
pH value (20 °C)	Approx. 1.0

The values stated represent typical characteristic data of the product and are not to be understood as bindin product specifications.

### Certificates

#### > Datenblatt über Inhaltsstoffe

### Possible system products

- > Funcosil FC (0711)
- Funcosil SNL (0602)
- Funcosil SN (0604)

### **Preparation**

Substrate preparation





	Mechanically remove coarse soiling.  Pre-wet the substrate being cleaned with water.		
Directions  set 30 °C  set 5 °C	Conditions for use Temperature of material, surroundings and substrate min. +5 °C up to max. +30 °C		
	Apply the material using suitable equipment.  Work in the material using a scrubbing brush.  Re-wash after sufficient reaction time.  Treat large surfaces with hot water pressure or steam-jet degreaser.  If needed, repeat the application.		
Tips on use	Take appropriate measures to protect adjacent building elements and materials that should not come into contact with the product.  Set up the necessary collection receptacles.  Cleaner residue may lead to lime sinter.  Dark joints may be lightened by cleaning.		
Notes	The material only dissolves impurities containing lime and not any other dirt deposits.  The applicable regulations and legal requirements must be observed.  The relevant test certificates must be observed when planning and carrying out work.  Always set up a trial area/trial areas first.		
Tools / Cleaning	Srubbing brush, mop, high-pressure cleaner, steam-jet degreaser		
	Clean tools with water immediately after use.		
Storage / Shelf life	At least 36 months in unopened, original containers stored cool, dry and protected from frost.		
Safety data / Regulations	For further information on the safety aspects of transporting, storing and handling the product and on disposal and environmental matters, please see the current Safety Data Sheet.		
Personal protective equipment	Respiratory protection with a particle filter P2 must be worn during spraying, together with protective goggles. Wear suitable protective gloves and clothing.		
Disposal	Dispose of larger quantities of leftover product in the original container in compliance with valid regulations. Completely empty containers should be recycled. Do not dispose of together with household waste. Do not allow to enter the sewage system.		
Detergents Regulation (EC) No 648/2004	5 - 15 % phosphoric acid		





Please note that the data and information given above have been calculated as guidelines in the laboratory and from real-life experience and are therefore not binding as a basic principle.

This information is therefore of a general nature only and describes our products and how they are used and worked with. In this respect, it must be borne in mind that the varied and diverse nature of the

prevailing working conditions, materials used and construction sites encountered means that not every individual case can be covered. In this respect, we therefore recommend either conducting tests or liaising with us in the event of any doubt. Unless we have provided express written assurance of the products' specific suitability or characteristics in respect of a contractually stipulated intended use, any technical application-related advice or instruction will never

be binding, even though it is provided to the best of our knowledge. In all other respects, our general terms and conditions of sale and delivery shall apply.

When a new version of this Technical Data Sheet is published, it shall replace the previous version.